

抗振的温度计Ø100mm

概述

Instrument designed for measuring the exhaust gas temperature of the diesel engines. It's studied for withstanding to the most adverse operating conditions as high temperatures and vibrations.




安德鲁信重工江苏有限公司

地址: 江苏省江阴市澄江东路3号 电话: 0510-86199978 86199979 传真: 0510-86199980
网址: www.andrewen.com www.andrewen.net 邮箱: info@andrewen

DIMENSIONS

Available custom stem length according to the customers' requirements.



D	A	F	d	L
100	125	1/2 BSP 3/4 BSP	12	140-240-340



安德鲁信重工江苏有限公司

地址: 江苏省江阴市澄江东路3号 电话: 0510-86199978 86199979 传真: 0510-86199980
网址: www.andrewen.com www.andrewen.net 邮箱: info@andrewen

技术参数

传感器元件: inert gas

Stem : Ø 12 AISI 304 st.st.

Connection : AISI 304 st.st., sliding and ogival 1/2 BSP or 3/4 BSP

精度: ± 1% F.V.S.

表壳: AISI 304 st.st.

密封圈: AISI 304 st.st.

表玻璃: glass

Elastic suspension : steel spring at circular section Ø 6, varnished black

Measuring unit: double scale degrees centigrade ° C and degrees Fahrenheit F

环境温度: -20+60°C

适用标准: UNI EN 13190



安德鲁信重工江苏有限公司

地址: 江苏省江阴市澄江东路3号 电话: 0510-86199978 86199979 传真: 0510-86199980

网址: www.andrewen.com

www.andrewen.net

邮箱: info@andrewen